

Monthly Notices index for Volume 266

This index contains, in addition to the papers published in Volume 266, details of a paper by Crane & Stiavelli, which was published in Volume 257 (1992) but accidentally omitted from both the volume and annual indexes for that year.

The details of the paper are as follows.

Authors: P. Crane and M. Stiavelli

Title: Resolution of the southern radio lobe of 3C 33 at 660 nm

Issue: Volume 257, No. 1 (1 July 1992), pages 17F-20F

Index key words: galaxies: active - galaxies: individual: 3C 33 - galaxies: jets - radio continuum: galaxies.

(Main subject headings: Galaxies, Sources as a function of wavelength.)

Monthly Notices apologizes for any inconvenience caused by this omission.

List of key words used in the annual subject indexes

(valid from January 1994)

This list is common to *Monthly Notices of the Royal Astronomical Society*, *Astronomy and Astrophysics*, and *The Astrophysical Journal*. In order to ease the search, the key words are subdivided into broad categories. No more than six subcategories altogether should be listed for a paper.

The subcategories in boldface containing the word 'individual' are intended for use with specific astronomical objects; these should never be used alone, but always in combination with the most common names for the astronomical objects in question. Note that each object counts as one subcategory within the allowed limit of six.

The parts of the key words in italics are for reference only and should be omitted when the key words are entered on the manuscript.

General

book reviews
editorials, notices
errata, addenda
extraterrestrial intelligence
history and philosophy of astronomy
miscellaneous
obituaries, biographies

Physical data and processes

acceleration of particles
accretion, accretion discs
atomic data
atomic processes
black hole physics
chaotic phenomena
conduction
convection
cosmic strings
dense matter
diffusion
elementary particles
equation of state
gravitation
hydrodynamics
instabilities
line: formation
line: identification
line: profiles
magnetic fields
(*magnetohydrodynamics*) MHD
masers
molecular data
molecular processes
nuclear reactions, nucleosynthesis, abundances
plasmas
polarization

radiation mechanisms: non-thermal
radiation mechanisms: thermal
radiative transfer
relativity
scattering
shock waves
turbulence
waves

Astronomical instrumentation, methods and techniques

atmospheric effects
balloons
instrumentation: detectors
instrumentation: interferometers
instrumentation: miscellaneous
instrumentation: photometers
instrumentation: polarimeters
instrumentation: spectrographs
methods: analytical
methods: data analysis
methods: miscellaneous
methods: numerical
methods: observational
methods: statistical
site testing
space vehicles
techniques: image processing
techniques: interferometric
techniques: miscellaneous
techniques: photometric
techniques: polarimetric
techniques: radar astronomy
techniques: radial velocities
techniques: spectroscopic
telescopes

Astronomical data bases

astronomical data bases: miscellaneous
atlases
catalogues
surveys

Astrometry and celestial mechanics

astrometry
celestial mechanics, stellar dynamics
eclipses
ephemerides
occultations
reference systems
time

The Sun

Sun: abundances
Sun: activity
Sun: atmosphere
Sun: chromosphere
Sun: corona
Sun: faculae, plages
Sun: filaments
Sun: flares
Sun: fundamental parameters
Sun: general
Sun: granulation
Sun: infrared
Sun: interior
Sun: magnetic fields
Sun: oscillations
Sun: particle emission
Sun: photosphere
Sun: prominences
Sun: radio radiation
Sun: rotation
(Sun:) solar-terrestrial relations
(Sun:) solar wind
(Sun:) sunspots
Sun: transition region
Sun: UV radiation
Sun: X-rays, gamma-rays

Solar system

comets: general
comets: individual:...
Earth
interplanetary medium
meteors, meteoroids
minor planets, asteroids
Moon
planets and satellites: general
planets and satellites: individual:...
Solar system: formation
Solar system: general

Stars

stars: abundances
stars: activity
stars: AGB and post-AGB
stars: atmospheres
(stars:) binaries (including multiple): close
(stars:) binaries: eclipsing
(stars:) binaries: general
(stars:) binaries: spectroscopic
(stars:) binaries: symbiotic
(stars:) binaries: visual
stars: blue stragglers
stars: carbon
stars: chemically peculiar
stars: chromospheres
(stars:) circumstellar matter
stars: coronae
stars: distances
stars: early-type

stars: emission-line, Be
stars: evolution
stars: flare
stars: formation
stars: fundamental parameters (*classification, colours, luminosities, masses, radii, temperatures, etc.*)
stars: general
stars: giant
(stars:) Hertzsprung-Russell (HR) diagram
stars: horizontal branch
stars: imaging
stars: individual:...
stars: interiors
stars: kinematics
stars: late-type
stars: low-mass, brown dwarfs
stars: luminosity function, mass function
stars: magnetic fields
stars: mass-loss
stars: neutron
(stars:) novae, cataclysmic variables
stars: oscillations (*including pulsations*)
stars: peculiar (*except chemically peculiar*)
(stars:) planetary systems
stars: Population II
stars: pre-main-sequence
(stars:) pulsars: general
(stars:) **pulsars: individual:...**
stars: rotation
stars: statistics
(stars:) subdwarfs
(stars:) supergiants
(stars:) supernovae: general
(stars:) **supernovae: individual:...**
(stars: variables:) Cepheids
(stars: variables:) δ Scuti
stars: variables: other
(stars:) white dwarfs
stars: Wolf-Rayet

Interstellar medium (ISM), nebulae

ISM: abundances
ISM: atoms
ISM: bubbles
ISM: clouds
(ISM:) cosmic rays
(ISM:) dust, extinction
ISM: general
ISM: globules
(ISM:) H II regions
ISM: individual:...
(*except planetary nebulae*)
ISM: jets and outflows
ISM: kinematics and dynamics
ISM: magnetic fields
ISM: molecules
(ISM:) planetary nebulae: general
(ISM:) **planetary nebulae: individual:...**
(ISM:) reflection nebulae
ISM: structure
(ISM:) supernova remnants

The Galaxy

Galaxy: abundances
Galaxy: centre
Galaxy: evolution
Galaxy: formation
Galaxy: fundamental parameters
Galaxy: general
(Galaxy:) globular clusters: general
(Galaxy:) **globular clusters: individual:...**
Galaxy: halo
Galaxy: kinematics and dynamics
(Galaxy:) open clusters and associations: general
(Galaxy:) **open clusters and associations: individual:...**
(Galaxy:) solar neighbourhood
Galaxy: stellar content
Galaxy: structure

Galaxies

galaxies: abundances
galaxies: active
(galaxies:) BL Lacertae objects: general
(galaxies:) **BL Lacertae objects: individual:...**
galaxies: clustering
galaxies: clusters: individual:...
galaxies: compact
(galaxies:) cooling flows
galaxies: distances and redshifts
galaxies: elliptical and lenticular, cD
galaxies: evolution
galaxies: formation
galaxies: fundamental parameters
(classification, colours, luminosities, masses, radii, etc.)
galaxies: general
galaxies: individual:...
galaxies: interactions
(galaxies:) intergalactic medium
galaxies: ISM
galaxies: irregular
galaxies: jets
galaxies: kinematics and dynamics
(galaxies:) Local Group
galaxies: luminosity function, mass function
(galaxies:) Magellanic Clouds
galaxies: magnetic fields
galaxies: nuclei
galaxies: peculiar
galaxies: photometry
(galaxies:) quasars: absorption lines
(galaxies:) quasars: emission lines
(galaxies:) quasars: general

(galaxies:) **quasars: individual:...**

galaxies: Seyfert
galaxies: spiral
galaxies: starburst
galaxies: star clusters
galaxies: stellar content
galaxies: structure

Cosmology

(cosmology:) cosmic microwave background
cosmology: miscellaneous
cosmology: observations
cosmology: theory
(cosmology:) dark matter
(cosmology:) diffuse radiation
(cosmology:) distance scale
(cosmology:) early Universe
(cosmology:) gravitational lensing
(cosmology:) large-scale structure of Universe

Sources as a function of wavelength

gamma-rays: bursts
gamma-rays: observations
gamma-rays: theory
infrared: galaxies
infrared: general
infrared: ISM: continuum
infrared: ISM: lines and bands
infrared: Solar system
infrared: stars
radio continuum: galaxies
radio continuum: general
radio continuum: ISM
radio continuum: Solar system
radio continuum: stars
radio lines: galaxies
radio lines: general
radio lines: ISM
radio lines: Solar system
radio lines: stars
ultraviolet: galaxies
ultraviolet: general
ultraviolet: ISM
ultraviolet: Solar system
ultraviolet: stars
X-rays: bursts
X-rays: galaxies
X-rays: general
X-rays: ISM
X-rays: stars

SUBJECT INDEX

Physical data and processes

- Spectral analysis of the gravitational radiation emitted by binary systems in moderately eccentric orbits: application to coalescing binaries (Moreno-Garrido C., Buitrago J., Mediavilla E.), **266**, 16
- Three-body orbital stability criteria for circular retrograde orbits (Donnison J.R., Mikulskis D.F.), **266**, 25
- The role of H^+ and H_2^+ ions in the degradation of interstellar molecules (Smith D., Spanel P., Millar T.J.), **266**, 31
- Eccentric-mode excitation of accretion discs (Whitehurst R.), **266**, 35
- IRAS*-selected Galactic star-forming regions – I. New $6_{16} \rightarrow 5_{23}$ water maser detections in molecular cores north of Dec. + 15° (Palumbo G.G.C., Scappini F., Pareschi G., Codella C., Caselli P., Attolini M.R.), **266**, 123
- Spectroscopy of A0620–00: the mass of the black hole and an image of its accretion disc (Marsh T.R., Robinson E.L., Wood J.H.), **266**, 137
- Structure of rapidly rotating neutron stars (Eriguchi Y., Hachisu I., Nomoto K.), **266**, 179
- Free-free transitions of He^- in the soft-photon limit (John T.L.), **266**, 186
- Multigrain dust cloud models of compact H II regions (Efstathiou A., Rowan-Robinson M.), **266**, 212
- Jump shocks in molecular clouds: speed limits and excitation levels (Smith M.D.), **266**, 238
- Non-uniform mixing in collisionless self-gravitating systems (Ziegler H.J., Wiechen H., Arendt U.), **266**, 263
- The cooling of hot white dwarfs: a theory with non-standard weak interactions, and a comparison with observations (Blinnikov S.I., Dunina-Barkovskaya N.V.), **266**, 289
- The axisymmetric instability in weakly magnetized accretion discs (Kumar S., Coleman C.S., Kley W.), **266**, 379
- Stability and oscillations of thermal accretion discs around black holes (Luo C., Liang E.P.), **266**, 386
- The physical conditions within dense cold clouds in cooling flows (Ferland G.J., Fabian A.C., Johnstone R.M.), **266**, 399
- Dust extinction in starburst galaxies: NGC 1614 and 7714 (Puxley P.J., Brand P.W.J.L.), **266**, 431
- On the resonance of galactic dynamos with density waves (Hanasz M., Chiba M.), **266**, 545
- Eccentric accretion discs (Lyubarskij Yu.E., Postnov K.A., Prokhorov M.E.), **266**, 583
- Magnetic field evolution with Hall drift in neutron stars (Naito T., Kojima Y.), **266**, 597
- Electromagnetic fields inside thin accretion discs around rotating black holes (Kudoh T.), **266**, 609
- ROSAT* observations of PSR 0950 + 08 (Manning R.A., Willmore A.P.), **266**, 635
- UIR-band emission from M supergiants (Sylvester R.J., Barlow M.J., Skinner C.J.), **266**, 640
- The iron K α line from a partially ionized reflecting medium in an active galactic nucleus (Życki P.T., Czerny B.), **266**, 653
- 'Cored apple' bipolarity: a global instability to convection in radial accretion? (Henriksen R.N., Valls-Gabaud D.), **266**, 681
- Accretion on to strange-matter pulsars (Benvenuto O.G., Vucetich H., Horvath J.E.), **266**, 690
- Electron impact excitation of N III: fine-structure collision strengths and Maxwellian-averaged rate coefficients (Stafford R.P., Bell K.L., Hibbert A.), **266**, 715
- Non-linear dynamos in torus geometry: transition to chaos (Brooke J.M., Moss D.), **266**, 733
- The stability of differentially rotating, weakly magnetized stellar radiative zones (Balbus S.A., Hawley J.F.), **266**, 769
- Opacities for stellar envelopes (Seaton M.J., Yu Yan, Mihalas D., Pradhan A.K.), **266**, 805
- Observations of the eclipsing nova-like variable DW Ursae Majoris in a low state (Dhillon V.S., Jones D.H.P., Marsh T.R.), **266**, 859
- Cosmological signatures of decaying dark matter (Dodelson S., Jubas J.M.), **266**, 886

- First results from the UHRF: ultra-high-resolution observations of interstellar CH, CH $^+$ and CN towards ζ Ophiuchi (Crawford I.A., Barlow M.J., Diego F., Spyromilio J.), **266**, 903
- The effect of triplet production on pair-Compton cascades in thermal radiation (Mastichiadis A., Protheroe R.J., Szabo A.P.), **266**, 910
- The theoretical correlation between UV discrete absorption components and the polarization of ejected blobs in the winds of early-type stars (Fox G.K., Henrichs H.F.), **266**, 945
- On the origin of the 1.2- μ m feature in type Ia supernova spectra (Spyromilio J., Pinto P.A., Eastman R.G.), **266**, L17
- Gravitational waves and the polarization of the cosmic microwave background (Frewin R.A., Polnarev A.G., Coles P.), **266**, L21
- Clumping and large-scale anisotropy in supernova 1993J (Spyromilio J.), **266**, L61
- Ultra-high-resolution observations of Ca K line variations in the β Pictoris disc (Crawford I.A., Spyromilio J., Barlow M.J., Diego F., Lagrange A.M.), **266**, L65

Astronomical instrumentation, methods and techniques

- Multicolour faint galaxy number counts with the Hitchhiker parallel CCD camera (Driver S.P., Philipps S., Davies J.I., Morgan I., Disney M.J.), **266**, 155
- Structure of rapidly rotating neutron stars (Eriguchi Y., Hachisu I., Nomoto K.), **266**, 179
- Large-scale clustering in bubble models (Amendola L., Borgani S.), **266**, 191
- A spherical harmonic approach to redshift distortion and a measurement of Ω_0 from the 1.2-Jy *IRAS* Redshift Survey (Fisher K.B., Scharf C.A., Lahav O.), **266**, 219
- Non-uniform mixing in collisionless self-gravitating systems (Ziegler H.J., Wiechen H., Arendt U.), **266**, 263
- The past and future motion of Comet P/Swift-Tuttle (Yau K., Yeomans D., Weissman P.), **266**, 305
- Synthesis of coded masks for gamma-ray and X-ray telescopes (Kopilovich L.E., Sodin L.G.), **266**, 357
- Optical galaxies within 8000 km s $^{-1}$ – III. Inhomogeneous Malmquist bias corrections and the Great Attractor (Hudson M.J.), **266**, 468
- Clustering properties from finite galaxy samples (Provenzale A., Guzzo L., Murante G.), **266**, 555
- The use of near-infrared spectroscopy to reclassify HR 8881 (Hammersley P.L., Kidger M.R., Mampaso A.), **266**, 678
- A maximum entropy method for reconstructing dust temperature distributions from millimetre and submillimetre fluxes (Hobson M.P., Padman R.), **266**, 752
- CCD and IR-array photometry of Galactic globular clusters – I. BVJK photometry of M69 (Ferraro F.R., Fusi Pecci F., Guarnieri M.D., Moneti A., Origlia L., Testa V.), **266**, 829
- A cautionary note on gamma-ray burst nearest neighbour statistics (Nowak M.A.), **266**, L45
- The structure of the remnant of HR Del (Slavin A.J., O'Brien T.J., Dunlop J.S.), **266**, L55

Astronomical data bases

- An imaging K-band survey – I. The catalogue, star and galaxy counts (Glazebrook K., Peacock J.A., Collins C.A., Miller L.), **266**, 65
- Multicolour faint galaxy number counts with the Hitchhiker parallel CCD camera (Driver S.P., Philipps S., Davies J.I., Morgan I., Disney M.J.), **266**, 155

Astrometry and celestial mechanics

- Three-body orbital stability criteria for circular retrograde orbits (Donnison J.R., Mikulskis D.F.), **266**, 25

The Lynden-Bell slow bar as a determinant of the spiral-ring structure in barred galaxies (Pasha I.I., Polyachenko V.L.), **266**, 92

Non-uniform mixing in collisionless self-gravitating systems (Ziegler H.J., Wiechen H., Arendt U.), **266**, 263

The past and future motion of Comet P/Swift-Tuttle (Yau K., Yeomans D., Weissman P.), **266**, 305

Modified dynamics (MOND) as a dark halo (Sanders R.H., Begeman K.G.), **266**, 360

Absolute proper motion and Galactic orbit of M92 (Scholz R.-D., Odenkirchen M., Irwin M.J.), **266**, 925

Solar system

The past and future motion of Comet P/Swift-Tuttle (Yau K., Yeomans D., Weissman P.), **266**, 305

Stars

A search for a secondary frequency in the large-amplitude Delta Scuti star CY Aquarii (Coates D.W., Fernley J.A., Sekiguchi K., Barnes T.G., Frueh M.L.), **266**, 1

Deep CCD photometry of the dwarf spheroidal galaxy Leo I (Demers S., Irwin M.J., Gambu I.), **266**, 7

Spectral analysis of the gravitational radiation emitted by binary systems in moderately eccentric orbits: application to coalescing binaries (Moreno-Garrido C., Buitrago J., Mediavilla E.), **266**, 16

Three-body orbital stability criteria for circular retrograde orbits (Donnison J.R., Mikulskis D.F.), **266**, 25

Eccentric-mode excitation of accretion discs (Whitehurst R.), **266**, 35

An imaging K-band survey – I. The catalogue, star and galaxy counts (Glazebrook K., Peacock J.A., Collins C.A., Miller L.), **266**, 65

Elemental abundance analyses with DAO spectrograms – XII. The mercury-manganese stars HR 4072A and 7775 and the metallic-lined star HR 4072B (Adelman S.J.), **266**, 97

IRAS-selected Galactic star-forming regions – I. New $6_{16} \rightarrow 5_{23}$ water maser detections in molecular cores north of Dec. + 15° (Palumbo G.G.C., Scappini F., Pareschi G., Codella C., Caselli P., Attolini M.R.), **266**, 123

Spectroscopy of A0620–00: the mass of the black hole and an image of its accretion disc (Marsh T.R., Robinson E.L., Wood J.H.), **266**, 137

Structure of rapidly rotating neutron stars (Eriguchi Y., Hachisu I., Nomoto K.), **266**, 179

3 Puppis: a peculiar object with infrared excess (Rovero A.C., Ringuelet A.E.), **266**, 203

Multigrain dust cloud models of compact H II regions (Efsthathiou A., Rowan-Robinson M.), **266**, 212

The episodic dust-maker WR 125 – II. Spectroscopy and photometry during infrared maximum (Williams P.M., van der Hucht K.A., Kidger M.R., Geballe T.R., Bouchet P.), **266**, 247

Thresholds and the chemical evolution of galactic discs – II. Radial flows (Chamcham K., Tayler R.J.), **266**, 282

The cooling of hot white dwarfs: a theory with non-standard weak interactions, and a comparison with observations (Blinnikov S.I., Dunina-Barkovskaya N.V.), **266**, 289

The distribution of OB stars in the directions of the stellar associations Aur OB 1 and 2 (Tovmassian H.M., Hovhannessian R.Kh., Epremian R.A., Huguenin D.), **266**, 337

Detection of the iron K β emission line and two-component X-ray emission from EX Hya (Ishida M., Makishima K., Mukai K., Masai K.), **266**, 367

Cepheid period-luminosity relations in K, H, J and V (Laney C.D., Stobie R.S.), **266**, 441

Magnetic field evolution with Hall drift in neutron stars (Naito T., Kojima Y.), **266**, 597

ROSAT observations of PSR 0950 + 08 (Manning R.A., Willmore A.P.), **266**, 635

UIR-band emission from M supergiants (Sylvester R.J., Barlow M.J., Skinner C.J.), **266**, 640

The use of near-infrared spectroscopy to reclassify HR 8881 (Hammersley P.L., Kidger M.R., Mampaso A.), **266**, 678

Accretion on to strange-matter pulsars (Benvenuto O.G., Vucetich H., Horvath J.E.), **266**, 690

CCD photometry of the newly discovered intermediate polar RE 0751 + 14 (Hilditch R.W., Bell S.A.), **266**, 703

Investigating the haloes of planetary nebulae – IV. NGC 6720, the Ring Nebula (Bryce M., Balick B., Meaburn J.), **266**, 721

HD 183133: a new Be interacting binary (Lawson W.A., Clark M., Cottrell P.L.), **266**, 740

No fundamental-mode pulsation in R Leonis? (Tuthill P.G., Haniff C.A., Baldwin J.E., Feast M.W.), **266**, 745

The discovery of EUV flaring activity in the K0V star HD 197890 with the ROSAT Wide Field Camera (Matthews L., Bromage G.E., Kellett B.J., Sidher S.D., Rochester G.K., Quenby J.J., Sumner T.J., Donoghue D., Willoughby G., Wonnacott D.), **266**, 757

Nova secondary stars, mass-transfer rates and distances (Weight A., Evans A., Naylor T., Wood J.H., Bode M.F.), **266**, 761

The stability of differentially rotating, weakly magnetized stellar radiative zones (Balbus S.A., Hawley J.F.), **266**, 769

Infrared searches for dark matter in the form of brown dwarfs (Kerins E.J., Carr B.J.), **266**, 775

ROSAT X-ray luminosity functions of the Hyades dK and dM stars (Pye J.P., Hodgkin S.T., Stern R.A., Stauffer J.R.), **266**, 798

Opacities for stellar envelopes (Seaton M.J., Yu Yan, Mihalas D., Pradhan A.K.), **266**, 805

CCD and IR-array photometry of Galactic globular clusters – I. BVJK photometry of M69 (Ferraro F.R., Fusi Pecci F., Guarnieri M.D., Moneti A., Origlia L., Testa V.), **266**, 829

Observations of the eclipsing nova-like variable DW Ursae Majoris in a low state (Dhillon V.S., Jones D.H.P., Marsh T.R.), **266**, 859

131 Tau: another λ Bootis star with a shell (Bohlender D.A., Walker G.A.H.), **266**, 891

First results from the UHRF: ultra-high-resolution observations of interstellar CH, CH⁺ and CN towards ζ Ophiuchi (Crawford I.A., Barlow M.J., Diego F., Spyromilio J.), **266**, 903

Soft X-ray observations of the early B giants β and ϵ CMa (Drew J.E., Denby M., Hoare M.G.), **266**, 917

Submillimetre and near-infrared observations of L1448: a curving H₂ jet with multiple bow shocks (Davis C.J., Dent W.R.F., Matthews H.E., Aspin C., Lightfoot J.F.), **266**, 933

The theoretical correlation between UV discrete absorption components and the polarization of ejected blobs in the winds of early-type stars (Fox G.K., Henrichs H.F.), **266**, 945

A new evolutionary model for AM Herculis binaries (Wickramasinghe D.T., Wu K.), **266**, L1

Is the ROSAT Wide Field Camera EUV source and Am eclipsing binary, δ Capricorni, also a δ Scuti variable? (Lloyd C., Wonnacott D.), **266**, L13

On the origin of the 1.2- μ m feature in type Ia supernova spectra (Spyromilio J., Pinto P.A., Eastman R.G.), **266**, L17

Optical observations of supernova 1993J from La Palma – I. Days 2 to 125 (Lewis J.R. et al.), **266**, L27

RXJ 0929.1–2404: an eclipsing magnetic cataclysmic variable (Sekiguchi K., Nakada Y., Bassett B.), **266**, L51

The structure of the remnant of HR Del (Slavin A.J., O'Brien T.J., Dunlop J.S.), **266**, L55

Clumping and large-scale anisotropy in supernova 1993J (Spyromilio J.), **266**, L61

Ultra-high-resolution observations of Ca K line variations in the β Pictoris disc (Crawford I.A., Spyromilio J., Barlow M.J., Diego F., Lagrange A.M.), **266**, L65

Interstellar medium (ISM), nebulae

The role of H⁺ and H₂⁺ ions in the degradation of interstellar molecules (Smith D., Spanel P., Millar T.J.), **266**, 31

A near-infrared photometric study of the young Orion nebula star cluster NGC 1976 (Qian Z.Y., Sagar R.), **266**, 114

IRAS-selected Galactic star-forming regions – I. New $6_{16} \rightarrow 5_{23}$ water maser detections in molecular cores north of Dec. + 15° (Palumbo G.G.C., Scappini F., Pareschi G., Codella C., Caselli P., Attolini M.R.), **266**, 123

Multigrain dust cloud models of compact H II regions (Efsthathiou A., Rowan-Robinson M.), **266**, 212

- Jump shocks in molecular clouds: speed limits and excitation levels (Smith M.D.), **266**, 238
- The episodic dust-maker WR 125 – II. Spectroscopy and photometry during infrared maximum (Williams P.M., van der Hucht K.A., Kidger M.R., Geballe T.R., Bouchet P.), **266**, 247
- The distribution of OB stars in the directions of the stellar associations Aur OB 1 and 2 (Tovmassian H.M., Hovhannessian R.Kh., Epremian R.A., Huguenin D.), **266**, 337
- Dust extinction in starburst galaxies: NGC 1614 and 7714 (Puxley P.J., Brand P.W.J.L.), **266**, 431
- The structure of young supernova remnants in M82 (Muxlow T.W.B., Pedlar A., Wilkinson P.N., Axon D.J., Sanders E.M., de Bruyn A.G.), **266**, 455
- Spectroscopy of H II regions at 2 μ m: ultracompact sources (Doherty R.M., Puxley P., Doyon R., Brand P.W.J.L.), **266**, 497
- The opacities of spiral galaxies using volume-representative samples (Valentijn E.A.), **266**, 614
- UIR-band emission from M supergiants (Sylvester R.J., Barlow M.J., Skinner C.J.), **266**, 640
- 'Cored apple' bipolarity: a global instability to convection in radial accretion? (Henriksen R.N., Valls-Gabaud D.), **266**, 681
- Investigating the haloes of planetary nebulae – IV. NGC 6720, the Ring Nebula (Bryce M., Balick B., Meaburn J.), **266**, 721
- A maximum entropy method for reconstructing dust temperature distributions from millimetre and submillimetre fluxes (Hobson M.P., Padman R.), **266**, 752
- First results from the UHRF: ultra-high-resolution observations of interstellar CH, CH⁺ and CN towards ζ Ophiuchi (Crawford I.A., Barlow M.J., Diego F., Spyromilio J.), **266**, 903
- Submillimetre and near-infrared observations of L1448: a curving H₂ jet with multiple bow shocks (Davis C.J., Dent W.R.F., Matthews H.E., Aspin C., Lightfoot J.F.), **266**, 933
- High-resolution C¹⁸O observations of M17SW – III. Analysis of density and velocity structure (Hobson M.P., Jenness T., Padman R., Scott P.F.), **266**, 972
- A model for the continuum energy distribution of the ultraluminous galaxy IRAS F10214 + 4724 (Mazzei P., De Zotti G.), **266**, L5
- Optical observations of supernova 1993J from La Palma – I. Days 2 to 125 (Lewis J.R. et al.), **266**, L27

The Galaxy

- A near-infrared photometric study of the young Orion nebula star cluster NGC 1976 (Qian Z.Y., Sagar R.), **266**, 114
- Modified moments and the Oort constants (Cuddeford P., Binney J.), **266**, 273
- The distribution of OB stars in the directions of the stellar associations Aur OB 1 and 2 (Tovmassian H.M., Hovhannessian R.Kh., Epremian R.A., Huguenin D.), **266**, 337
- On the motion of the Magellanic Clouds (Kroupa P., Röser S., Bastian U.), **266**, 412
- Numerical simulations of the Magellanic system – I. Orbits of the Magellanic Clouds and the global gas distribution (Gardiner L.T., Sawa T., Fujimoto M.), **266**, 567
- ROSAT X-ray luminosity functions of the Hyades dK and dM stars (Pye J.P., Hodgkin S.T., Stern R.A., Stauffer J.R.), **266**, 798
- CCD and IR-array photometry of Galactic globular clusters – I. BVJK photometry of M69 (Ferraro F.R., Fusi Pecci F., Guarnieri M.D., Moneti A., Origlia L., Testa V.), **266**, 829
- Absolute proper motion and Galactic orbit of M92 (Scholz R.-D., Odenkirchen M., Irwin M.J.), **266**, 925

Galaxies

- Resolution of the southern radio lobe of 3C 33 at 660 nm (Crane P., Stiavelli M.), **257**, 17p
- Deep CCD photometry of the dwarf spheroidal galaxy Leo I (Demers S., Irwin M.J., Gamby I.), **266**, 7
- Clustering in the 1.2-Jy IRAS Galaxy Redshift Survey – I. The redshift and real space correlation functions (Fisher K.B., Davis M., Strauss M.A., Yahil A., Huchra J.), **266**, 50
- An imaging K-band survey – I. The catalogue, star and galaxy counts (Glazebrook K., Peacock J.A., Collins C.A., Miller L.), **266**, 65

- The Lynden-Bell slow bar as a determinant of the spiral-ring structure in barred galaxies (Pasha I.I., Polyachenko V.L.), **266**, 92
- Multicolour faint galaxy number counts with the Hitchhiker parallel CCD camera (Driver S.P., Philipps S., Davies J.I., Morgan I., Disney M.J.), **266**, 155
- Large-scale clustering in bubble models (Amendola L., Borgani S.), **266**, 191
- A spherical harmonic approach to redshift distortion and a measurement of Ω_0 from the 1.2-Jy IRAS Redshift Survey (Fisher K.B., Scharf C.A., Lahav O.), **266**, 219
- Non-linear evolution of density perturbations using the approximate constancy of the gravitational potential (Bagla J.S., Padmanabhan T.), **266**, 227
- A diameter effect in the Tully–Fisher relation and its consequences (Feast M.W.), **266**, 255
- Thresholds and the chemical evolution of galactic discs – II. Radial flows (Chamcham K., Tayler R.J.), **266**, 282
- Observations of quasars in ESO/SERC field 927 (Clowes R.G., Campusano L.E.), **266**, 317
- Reionization and thermal evolution of a photoionized intergalactic medium (Miralda-Escudé J., Rees M.J.), **266**, 343
- Two-body escape speeds in merged four-galaxy groups (Valtonen M.J., Wiren S.), **266**, 353
- Modified dynamics (MOND) as a dark halo (Sanders R.H., Begeman K.G.), **266**, 360
- The physical conditions within dense cold clouds in cooling flows (Ferland G.J., Fabian A.C., Johnstone R.M.), **266**, 399
- On the motion of the Magellanic Clouds (Kroupa P., Röser S., Bastian U.), **266**, 412
- The effects of cluster environment on the chemical evolution of galaxies – II. NGC 4254 (Henry R.B.C., Pagel B.E.J., Chincarini G.L.), **266**, 421
- Dust extinction in starburst galaxies: NGC 1614 and 7714 (Puxley P.J., Brand P.W.J.L.), **266**, 431
- Cepheid period–luminosity relations in K, H, J and V (Laney C.D., Stobie R.S.), **266**, 441
- The structure of young supernova remnants in M82 (Muxlow T.W.B., Pedlar A., Wilkinson P.N., Axon D.J., Sanders E.M., de Bruyn A.G.), **266**, 455
- Optical galaxies within 8000 km s⁻¹ – III. Inhomogeneous Malmquist bias corrections and the Great Attractor (Hudson M.J.), **266**, 468
- Optical galaxies within 8000 km s⁻¹ – IV. The peculiar velocity field (Hudson M.J.), **266**, 475
- Tilting of the primordial power spectrum with bulk viscosity (Lidsey J.E.), **266**, 489
- The variation of the scalelengths of galaxies at different wavelengths (Evans Rh.), **266**, 511
- The angular distribution of clusters in skewed CDM models (Borgani S., Coles P., Moscardini L., Plionis M.), **266**, 524
- On the resonance of galactic dynamos with density waves (Hanasz M., Chiba M.), **266**, 545
- Clustering properties from finite galaxy samples (Provenzale A., Guzzo L., Murante G.), **266**, 555
- Numerical simulations of the Magellanic system – I. Orbits of the Magellanic Clouds and the global gas distribution (Gardiner L.T., Sawa T., Fujimoto M.), **266**, 567
- Electromagnetic fields inside thin accretion discs around rotating black holes (Kudoh T.), **266**, 609
- The opacities of spiral galaxies using volume-representative samples (Valentijn E.A.), **266**, 614
- Ram-pressure confinement of extragalactic jets (Komissarov S.S.), **266**, 649
- The iron K α line from a partially ionized reflecting medium in an active galactic nucleus (Życki P.T., Czerny B.), **266**, 653
- A non-thermal radio/optical/X-ray source in PKS 2316–423 (Crawford C.S., Fabian A.C.), **266**, 669
- 'Cored apple' bipolarity: a global instability to convection in radial accretion? (Henriksen R.N., Valls-Gabaud D.), **266**, 681
- The deprojection of axisymmetric galaxies (Palmer P.L.), **266**, 697
- On the formation of compact ellipticals (Burkert A.), **266**, 877
- Cosmological signatures of decaying dark matter (Dodelson S., Jubas J.M.), **266**, 886
- Secondary microwave background anisotropies induced by pancakes (Chodorowski M.), **266**, 897

- The host galaxies of Seyfert type 1 nuclei (Kotilainen J.K., Ward M.J.), **266**, 953
- New limits on galaxy formation at high redshift (Parkes I.M., Collins C.A., Joseph R.D.), **266**, 983
- A model for the continuum energy distribution of the ultraluminous galaxy IRAS F10214 + 4724 (Mazzei P., De Zotti G.), **266**, L5
- NGC 5982: a smooth triaxial elliptical (Oosterloo T., Balcells M., Carter D.), **266**, L10
- Optical observations of supernova 1993J from La Palma - I. Days 2 to 125 (Lewis J.R. et al.), **266**, L27
- A ROSAT observation of the high-redshift galaxy IRAS F10214 + 4724 (Lawrence A., Rigopoulou D., Rowan-Robinson M., McMahon R.G., Broadhurst T., Lonsdale C.J.), **266**, L41
- 1308 + 328: a new highly variable extragalactic object (Machalski J., Engels D.), **266**, L69

Cosmology

- Clustering in the 1.2-Jy IRAS Galaxy Redshift Survey - I. The redshift and real space correlation functions (Fisher K.B., Davis M., Strauss M.A., Yahil A., Huchra J.), **266**, 50
- Large-scale clustering in bubble models (Amendola L., Borgani S.), **266**, 191
- A spherical harmonic approach to redshift distortion and a measurement of Ω_0 from the 1.2-Jy IRAS Redshift Survey (Fisher K.B., Scharf C.A., Lahav O.), **266**, 219
- Non-linear evolution of density perturbations using the approximate constancy of the gravitational potential (Bagla J.S., Padmanabhan T.), **266**, 227
- A diameter effect in the Tully-Fisher relation and its consequences (Feast M.W.), **266**, 255
- Observations of quasars in ESO/SERC field 927 (Clowes R.G., Campusano L.E.), **266**, 317
- Reionization and thermal evolution of a photoionized intergalactic medium (Miralda-Escudé J., Rees M.J.), **266**, 343
- Two-body escape speeds in merged four-galaxy groups (Valtonen M.J., Wren S.), **266**, 353
- Optical galaxies within 8000 km s⁻¹ - III. Inhomogeneous Malmquist bias corrections and the Great Attractor (Hudson M.J.), **266**, 468
- Optical galaxies within 8000 km s⁻¹ - IV. The peculiar velocity field (Hudson M.J.), **266**, 475
- Tilting of the primordial power spectrum with bulk viscosity (Lidsey J.E.), **266**, 489
- The angular distribution of clusters in skewed CDM models (Borgani S., Coles P., Moscardini L., Plionis M.), **266**, 524
- Clustering properties from finite galaxy samples (Provenzale A., Guzzo L., Murante G.), **266**, 555
- Infrared searches for dark matter in the form of brown dwarfs (Kerins E.J., Carr B.J.), **266**, 775
- The autocorrelation function and fluctuations of the soft X-ray sky on scales from 1 arcmin to 5° (Chen L.-W., Fabian A.C., Warwick R.S., Branduardi-Raymont G., Barber C.R.), **266**, 846
- Reheating and adiabatic particle production (Zimdahl W., Pavón D.), **266**, 872
- Cosmological signatures of decaying dark matter (Dodelson S., Juba J.M.), **266**, 886
- Secondary microwave background anisotropies induced by pancakes (Chodorowski M.), **266**, 897
- New limits on galaxy formation at high redshift (Parkes I.M., Collins C.A., Joseph R.D.), **266**, 983
- Gravitational waves and the polarization of the cosmic microwave background (Frewin R.A., Polnarev A.G., Coles P.), **266**, L21

Sources as a function of wavelength

- Resolution of the southern radio lobe of 3C 33 at 660 nm (Crane P., Stiavelli M.), **257**, 17r
- Clustering in the 1.2-Jy IRAS Galaxy Redshift Survey - I. The redshift and real space correlation functions (Fisher K.B., Davis M., Strauss M.A., Yahil A., Huchra J.), **266**, 50
- An imaging K-band survey - I. The catalogue, star and galaxy counts (Glazebrook K., Peacock J.A., Collins C.A., Miller L.), **266**, 65

- A near-infrared photometric study of the young Orion nebula star cluster NGC 1976 (Qian Z.Y., Sagar R.), **266**, 114
- IRAS-selected Galactic star-forming regions - I. New 6₁₆ → 5₂₃ water maser detections in molecular cores north of Dec. + 15° (Palumbo G.G.C., Scappini F., Pareschi G., Codella C., Caselli P., Attolini M.R.), **266**, 123
- Spectroscopy of A0620-00: the mass of the black hole and an image of its accretion disc (Marsh T.R., Robinson E.L., Wood J.H.), **266**, 137
- Free-free transitions of He⁻ in the soft-photon limit (John T.L.), **266**, 186
- 3 Puppis: a peculiar object with infrared excess (Rovero A.C., Ringuelet A.E.), **266**, 203
- Multigrain dust cloud models of compact H II regions (Efsthathiou A., Rowan-Robinson M.), **266**, 212
- The episodic dust-maker WR 125 - II. Spectroscopy and photometry during infrared maximum (Williams P.M., van der Hucht K.A., Kidger M.R., Geballe T.R., Bouchet P.), **266**, 247
- Reionization and thermal evolution of a photoionized intergalactic medium (Miralda-Escudé J., Rees M.J.), **266**, 343
- Synthesis of coded masks for gamma-ray and X-ray telescopes (Kopilevich L.E., Sodin L.G.), **266**, 357
- Detection of the iron K β emission line and two-component X-ray emission from EX Hya (Ishida M., Makishima K., Mukai K., Masai K.), **266**, 367
- Stability and oscillations of thermal accretion discs around black holes (Luo C., Liang E.P.), **266**, 386
- Cepheid period-luminosity relations in K, H, J and V (Laney C.D., Stobie R.S.), **266**, 441
- The structure of young supernova remnants in M82 (Muxlow T.W.B., Pedlar A., Wilkinson P.N., Axon D.J., Sanders E.M., de Bruyn A.G.), **266**, 455
- Spectroscopy of H II regions at 2 μ m: ultracompact sources (Doherty R.M., Puxley P., Doyon R., Brand P.W.J.L.), **266**, 497
- ROSAT observations of PSR 0950 + 08 (Manning R.A., Willmore A.P.), **266**, 635
- UIR-band emission from M supergiants (Sylvester R.J., Barlow M.J., Skinner C.J.), **266**, 640
- The iron K α line from a partially ionized reflecting medium in an active galactic nucleus (Zycki P.T., Czerny B.), **266**, 653
- A non-thermal radio/optical/X-ray source in PKS 2316-423 (Crawford C.S., Fabian A.C.), **266**, 669
- The use of near-infrared spectroscopy to reclassify HR 8881 (Hammersley P.L., Kidger M.R., Mampaso A.), **266**, 678
- CCD photometry of the newly discovered intermediate polar RE 0751 + 14 (Hilditch R.W., Bell S.A.), **266**, 703
- A maximum entropy method for reconstructing dust temperature distributions from millimetre and submillimetre fluxes (Hobson M.P., Padman R.), **266**, 752
- The discovery of EUV flaring activity in the K0V star HD 197890 with the ROSAT Wide Field Camera (Matthews L., Bromage G.E., Kellett B.J., Sidher S.D., Rochester G.K., Quenby J.J., Sumner T.J., Donoghue D., Willoughby G., Wonnacott D.), **266**, 757
- Nova secondary stars, mass-transfer rates and distances (Weight A., Evans A., Naylor T., Wood J.H., Bode M.F.), **266**, 761
- Infrared searches for dark matter in the form of brown dwarfs (Kerins E.J., Carr B.J.), **266**, 775
- ROSAT X-ray luminosity functions of the Hyades dK and dM stars (Pye J.P., Hodgkin S.T., Stern R.A., Stauffer J.R.), **266**, 798
- The autocorrelation function and fluctuations of the soft X-ray sky on scales from 1 arcmin to 5° (Chen L.-W., Fabian A.C., Warwick R.S., Branduardi-Raymont G., Barber C.R.), **266**, 846
- The effect of triplet production on pair-Compton cascades in thermal radiation (Mastichiadis A., Protheroe R.J., Szabo A.P.), **266**, 910
- Soft X-ray observations of the early B giants β and ϵ CMa (Drew J.E., Denby M., Hoare M.G.), **266**, 917
- Submillimetre and near-infrared observations of L1448: a curving H₂ jet with multiple bow shocks (Davis C.J., Dent W.R.F., Matthews H.E., Aspin C., Lightfoot J.F.), **266**, 933
- The theoretical correlation between UV discrete absorption components and the polarization of ejected blobs in the winds of early-type stars (Fox G.K., Henrichs H.F.), **266**, 945
- The host galaxies of Seyfert type 1 nuclei (Kotilainen J.K., Ward M.J.), **266**, 953

High-resolution $C^{17}O$ observations of M17SW – III. Analysis of density and velocity structure (Hobson M.P., Jenness T., Padman R., Scott P.F.), **266**, 972

New limits on galaxy formation at high redshift (Parkes I.M., Collins C.A., Joseph R.D.), **266**, 983

A model for the continuum energy distribution of the ultraluminous galaxy IRAS F10214 + 4724 (Mazzei P., De Zotti G.), **266**, L5

Is the *ROSAT* Wide Field Camera EUV source and An eclipsing binary, δ Capricorni, also a δ Scuti variable? (Lloyd C., Wonnacott D.), **266**, L13


On the origin of the 1.2- μ m feature in type Ia supernova spectra (Spyromilio J., Pinto P.A., Eastman R.G.), **266**, L17

A *ROSAT* observation of the high-redshift galaxy IRAS F10214 + 4724 (Lawrence A., Rigopoulou D., Rowan-Robinson M., McMahon R.G., Broadhurst T., Lonsdale C.J.), **266**, L41

A cautionary note on gamma-ray burst nearest neighbour statistics (Nowak M.A.), **266**, L45

RXJ 0929.1–2404: an eclipsing magnetic cataclysmic variable (Sekiguchi K., Nakada Y., Bassett B.), **266**, L51

1308 + 328: a new highly variable extragalactic object (Machalski J., Engels D.), **266**, L69



AUTHOR INDEX

- Adelman S.J., Elemental abundance analyses with DAO spectrograms - XII. The mercury-manganese stars HR 4072A and 7775 and the metallic-lined star HR 4072B, **266**, 97
- Amendola L., Borgani S., Large-scale clustering in bubble models, **266**, 191
- Arendt U. *see* Ziegler H.J.
- Arévalo M. *see* Lewis J.R.
- Argyle R.W. *see* Lewis J.R.
- Aspin C. *see* Davis C.J.
- Attolini M.R. *see* Palumbo G.G.C.
- Axon D.J. *see* Muxlow T.W.B.
- Bagla J.S., Padmanabhan T., Non-linear evolution of density perturbations using the approximate constancy of the gravitational potential, **266**, 227
- Balbus S.A., Hawley J.F., The stability of differentially rotating, weakly magnetized stellar radiative zones, **266**, 769
- Balcells M. *see* Oosterloo T.
- Baldwin J.E. *see* Tuthill P.G.
- Balick B. *see* Bryce M.
- Barber C.R. *see* Chen L.-W.
- Barlow M.J. *see* Crawford I.A.; Sylvester R.J.
- Barnes T.G. *see* Coates D.W.
- Bassett B. *see* Sekiguchi K.
- Bastian U. *see* Kroupa P.
- Begeman K.G. *see* Sanders R.H.
- Bell K.L. *see* Stafford R.P.
- Bell S.A. *see* Hilditch R.W.
- Benn C.R. *see* Lewis J.R.
- Benvenuto O.G., Vucetich H., Horvath J.E., Accretion on to strange-matter pulsars, **266**, 690
- Binney J. *see* Cuddeford P.
- Blinnikov S.I., Dunina-Barkovskaya N.V., The cooling of hot white dwarfs: a theory with non-standard weak interactions, and a comparison with observations, **266**, 289
- Bode M.F. *see* Weight A.
- Bohlender D.A., Walker G.A.H., 131 Tau: another λ Bootis star with a shell, **266**, 891
- Borgani S. *see* Amendola L.
- Borgani S., Coles P., Moscardini L., Plionis M., The angular distribution of clusters in skewed CDM models, **266**, 524
- Bouchet P. *see* Williams P.M.
- Brand P.W.J.L. *see* Doherty R.M.; Puxley P.J.
- Branduardi-Raymont G. *see* Chen L.-W.
- Broadhurst T. *see* Lawrence A.
- Bromage G.E. *see* Matthews L.
- Brooke J.M., Moss D., Non-linear dynamos in torus geometry: transition to chaos, **266**, 733
- Bryce M., Balick B., Meaburn J., Investigating the haloes of planetary nebulae - IV. NGC 6720, the Ring Nebula, **266**, 721
- Buitrago J. *see* Moreno-Garrido C.
- Bunclark P.S. *see* Lewis J.R.
- Burkert A., On the formation of compact ellipticals, **266**, 877
- Campusano L.E. *see* Clowes R.G.
- Carr B.J. *see* Kerins E.J.
- Carter D. *see* Oosterloo T.
- Caselli P. *see* Palumbo G.G.C.
- Castañeda H.O. *see* Lewis J.R.
- Catchpole R.M. *see* Lewis J.R.
- Centurión M. *see* Lewis J.R.
- Chamcham K., Tayler R.J., Thresholds and the chemical evolution of galactic discs - II. Radial flows, **266**, 282
- Chen L.-W., Fabian A.C., Warwick R.S., Branduardi-Raymont G., Barber C.R., The autocorrelation function and fluctuations of the soft X-ray sky on scales from 1 arcmin to 5°, **266**, 846
- Chiba M. *see* Hanasz M.
- Chincarini G.L. *see* Henry R.B.C.
- Chodorowski M., Secondary microwave background anisotropies induced by pancakes, **266**, 897
- Clark M. *see* Lawson W.A.
- Clegg R.E.S. *see* Lewis J.R.
- Clowes R.G., Campusano L.E., Observations of quasars in ESO/SERC field 927, **266**, 317
- Coates D.W., Fernley J.A., Sekiguchi K., Barnes T.G., Frueh M.L., A search for a secondary frequency in the large-amplitude Delta Scuti star CY Aquarii, **266**, 1
- Codella C. *see* Palumbo G.G.C.
- Coleman C.S. *see* Kumar S.
- Coles P. *see* Borgani S.; Frewin R.A.
- Collins C.A. *see* Glazebrook K.; Parkes I.M.
- Cottrell P.L. *see* Lawson W.A.
- Crane P., Stiavelli M., Resolution of the southern radio lobe of 3C 33 at 660 nm, **257**, 17p
- Crawford C.S., Fabian A.C., A non-thermal radio/optical/X-ray source in PKS 2316-423, **266**, 669
- Crawford I.A., Barlow M.J., Diego F., Spyromilio J., First results from the UHRF: ultra-high-resolution observations of interstellar CH, CH⁺ and CN towards ζ Ophiuchi, **266**, 903
- Crawford I.A., Spyromilio J., Barlow M.J., Diego F., Lagrange A.M., Ultra-high-resolution observations of Ca K line variations in the β Pictoris disc, **266**, L65
- Cuddeford P., Binney J., Modified moments and the Oort constants, **266**, 273
- Cumming R.J. *see* Lewis J.R.
- Czerny B. *see* Zycki P.T.
- Davies J.I. *see* Driver S.P.
- Davis C.J., Dent W.R.F., Matthews H.E., Aspin C., Lightfoot J.F., Submillimetre and near-infrared observations of L1448: a curving H₂ jet with multiple bow shocks, **266**, 933
- Davis M. *see* Fisher K.B.
- de Bruyn A.G. *see* Muxlow T.W.B.
- De Zotti G. *see* Mazzei P.
- Delgado A. *see* Lewis J.R.
- Demers S., Irwin M.J., Gambu I., Deep CCD photometry of the dwarf spheroidal galaxy Leo I, **266**, 7
- Denby M. *see* Drew J.E.
- Dent W.R.F. *see* Davis C.J.
- Dhillon V.S. *see* Lewis J.R.
- Dhillon V.S., Jones D.H.P., Marsh T.R., Observations of the eclipsing nova-like variable DW Ursae Majoris in a low state, **266**, 859
- Diego F. *see* Crawford I.A.
- Disney M.J. *see* Driver S.P.
- Dodelson S., Jubas J.M., Cosmological signatures of decaying dark matter, **266**, 886
- Doherty R.M., Puxley P., Doyon R., Brand P.W.J.L., Spectroscopy of H II regions at 2 μ m: ultracompact sources, **266**, 497
- Donnison J.R., Mikulskis D.F., Three-body orbital stability criteria for circular retrograde orbits, **266**, 25
- Donoghue D. *see* Matthews L.
- Doyon R. *see* Doherty R.M.
- Drew J.E., Denby M., Hoare M.G., Soft X-ray observations of the early B giants β and ϵ Cma, **266**, 917
- Driver S.P., Philipps S., Davies J.I., Morgan I., Disney M.J., Multicolour faint galaxy number counts with the Hitchhiker parallel CCD camera, **266**, 155
- Dunina-Barkovskaya N.V. *see* Blinnikov S.I.
- Dunlop J.S. *see* Slavin A.J.
- Eastman R.G. *see* Spyromilio J.
- Efstathiou A., Rowan-Robinson M., Multigrain dust cloud models of compact H II regions, **266**, 212
- Engels D. *see* Machalski J.
- Epreman R.A. *see* Tovmassian H.M.
- Eriguchi Y., Hachisu I., Nomoto K., Structure of rapidly rotating neutron stars, **266**, 179
- Evans A. *see* Weight A.
- Evans Rh., The variation of the scalelengths of galaxies at different wavelengths, **266**, 511
- Fabian A.C. *see* Chen L.-W.; Crawford C.S.; Ferland G.J.

- Feast M.W. *see* Tuthill P.G.
- Feast M.W., A diameter effect in the Tully-Fisher relation and its consequences, **266**, 255
- Ferland G.J., Fabian A.C., Johnstone R.M., The physical conditions within dense cold clouds in cooling flows, **266**, 399
- Fernley J.A. *see* Coates D.W.
- Ferraro F.R., Fusi Pecci F., Guarnieri M.D., Moneti A., Origlia L., Testa V., CCD and IR-array photometry of Galactic globular clusters - I. *BV*/*J* photometry of M69, **266**, 829
- Fisher K.B., Davis M., Strauss M.A., Yahil A., Huchra J., Clustering in the 1.2-Jy *IRAS* Galaxy Redshift Survey - I. The redshift and real space correlation functions, **266**, 50
- Fisher K.B., Scharf C.A., Lahav O., A spherical harmonic approach to redshift distortion and a measurement of Ω_0 from the 1.2-Jy *IRAS* Redshift Survey, **266**, 219
- Fox G.K., Henrichs H.F., The theoretical correlation between UV discrete absorption components and the polarization of ejected blobs in the winds of early-type stars, **266**, 945
- Frewin R.A., Polnarev A.G., Coles P., Gravitational waves and the polarization of the cosmic microwave background, **266**, L21
- Frueh M.L. *see* Coates D.W.
- Fujimoto M. *see* Gardiner L.T.
- Fusi Pecci F. *see* Ferraro F.R.
- Gambu I. *see* Demers S.
- Gardiner L.T., Sawa T., Fujimoto M., Numerical simulations of the Magellanic system - I. Orbits of the Magellanic Clouds and the global gas distribution, **266**, 567
- Geballe T.R. *see* Williams P.M.
- Glazebrook K., Peacock J.A., Collins C.A., Miller L., An imaging *K*-band survey - I. The catalogue, star and galaxy counts, **266**, 65
- Goudfrooij P. *see* Lewis J.R.
- Guarnieri M.D. *see* Ferraro F.R.
- Guzzo L. *see* Provenzale A.
- Hachisu I. *see* Eriguchi Y.
- Hammersley P.L., Kidger M.R., Mampaso A., The use of near-infrared spectroscopy to reclassify HR 8881, **266**, 678
- Hanasz M., Chiba M., On the resonance of galactic dynamos with density waves, **266**, 545
- Haniff C.A. *see* Tuthill P.G.
- Harlaftis E.H. *see* Lewis J.R.
- Hassall B.J.M. *see* Lewis J.R.
- Hawley J.F. *see* Balbus S.A.
- Helmer L. *see* Lewis J.R.
- Henrichs H.F. *see* Fox G.K.
- Henriksen R.N., Valls-Gabaud D., 'Cored apple' bipolarity: a global instability to convection in radial accretion?, **266**, 681
- Henry R.B.C., Pagel B.E.J., Chincarini G.L., The effects of cluster environment on the chemical evolution of galaxies - II. NGC 4254, **266**, 421
- Hibbert A. *see* Stafford R.P.
- Hilditch R.W., Bell S.A., CCD photometry of the newly discovered intermediate polar RE 0751 + 14, **266**, 703
- Hill P.W. *see* Lewis J.R.
- Hoare M.G. *see* Drew J.E.
- Hobson M.P., Jenness T., Padman R., Scott P.F., High-resolution $C^{17}O$ observations of M17SW - III. Analysis of density and velocity structure, **266**, 972
- Hobson M.P., Padman R., A maximum entropy method for reconstructing dust temperature distributions from millimetre and submillimetre fluxes, **266**, 752
- Hodgkin S.T. *see* Pye J.P.
- Horvath J.E. *see* Benvenuto O.G.
- Hovhannessian R.Kh. *see* Tovmassian H.M.
- Huchra J. *see* Fisher K.B.
- Hudson M.J., Optical galaxies within 8000 km s⁻¹ - III. Inhomogeneous Malmquist bias corrections and the Great Attractor, **266**, 468
- Hudson M.J., Optical galaxies within 8000 km s⁻¹ - IV. The peculiar velocity field, **266**, 475
- Huguenin D. *see* Tovmassian H.M.
- Irwin M.J. *see* Demers S.; Scholz R.-D.
- Ishida M., Makishima K., Mukai K., Masai K., Detection of the iron *K* β emission line and two-component X-ray emission from EX Hya, **266**, 367
- Jenness T. *see* Hobson M.P.
- John T.L., Free-free transitions of He⁻ in the soft-photon limit, **266**, 186
- Johnstone R.M. *see* Ferland G.J.
- Jones D.H.P. *see* Dhillon V.S.; Lewis J.R.
- Joseph R.D. *see* Parkes I.M.
- Jubas J.M. *see* Dodelson S.
- Kellett B.J. *see* Matthews L.
- Kerins E.J., Carr B.J., Infrared searches for dark matter in the form of brown dwarfs, **266**, 775
- Kidger M.R. *see* Hammersley P.L.; Williams P.M.
- King D.L. *see* Lewis J.R.
- Kley W. *see* Kumar S.
- Kojima Y. *see* Naito T.
- Komissarov S.S., Ram-pressure confinement of extragalactic jets, **266**, 649
- Kopilovich L.E., Sodin L.G., Synthesis of coded masks for gamma-ray and X-ray telescopes, **266**, 357
- Kotilainen J.K., Ward M.J., The host galaxies of Seyfert type 1 nuclei, **266**, 953
- Kroupa P., Röser S., Bastian U., On the motion of the Magellanic Clouds, **266**, 412
- Kudoh T., Electromagnetic fields inside thin accretion discs around rotating black holes, **266**, 609
- Kumar S., Coleman C.S., Kley W., The axisymmetric instability in weakly magnetized accretion discs, **266**, 379
- Lagrange A.M. *see* Crawford I.A.
- Lahav O. *see* Fisher K.B.
- Laney C.D., Stobie R.S., Cepheid period-luminosity relations in *K*, *H*, *J* and *V*, **266**, 441
- Lawrence A., Rigopoulou D., Rowan-Robinson M., McMahon R.G., Broadhurst T., Lonsdale C.J., A *ROSAT* observation of the high-redshift galaxy *IRAS* F10214 + 4724, **266**, L41
- Lawson W.A., Clark M., Cottrell P.L., HD 183133: a new Be interacting binary, **266**, 740
- Lázaro C. *see* Lewis J.R.
- Lewis J.R., Walton N.A., Meikle W.P.S., Martin R., Cumming R.J., Catchpole R.M., Arévalo M., Argyle R.W., Benn C.R., Bunclark P.S., Castañeda H.O., Centurión M., Clegg R.E.S., Delgado A., Dhillon V.S., Goudfrooij P., Harlaftis E.H., Hassall B.J.M., Helmer L., Hill P.W., Jones D.H.P., King D.L., Lázaro C., Lucey J.R., Martin E.L., Miller L., Morrison L.V., Penny A.J., Pérez E., Read M., Rudd P.J., Rutten R.G.M., Sharples R.M., Unger S.W., Vilchez J., Optical observations of supernova 1993J from La Palma - I. Days 2 to 125, **266**, L27
- Liang E.P. *see* Luo C.
- Lidsey J.E., Tilting of the primordial power spectrum with bulk viscosity, **266**, 489
- Lightfoot J.F. *see* Davis C.J.
- Lloyd C., Wonnacott D., Is the *ROSAT* Wide Field Camera EUV source and an eclipsing binary, δ Capricorni, also a δ Scuti variable?, **266**, L13
- Lonsdale C.J. *see* Lawrence A.
- Lucey J.R. *see* Lewis J.R.
- Luo C., Liang E.P., Stability and oscillations of thermal accretion discs around black holes, **266**, 386
- Lyubarskij Yu.E., Postnov K.A., Prokhorov M.E., Eccentric accretion discs, **266**, 583
- Machalski J., Engels D., 1308 + 328: a new highly variable extragalactic object, **266**, L69
- McMahon R.G. *see* Lawrence A.
- Makishima K. *see* Ishida M.
- Mampaso A. *see* Hammersley P.L.
- Manning R.A., Willmore A.P., *ROSAT* observations of PSR 0950 + 08, **266**, 635
- Marsh T.R. *see* Dhillon V.S.
- Marsh T.R., Robinson E.L., Wood J.H., Spectroscopy of A0620-00: the mass of the black hole and an image of its accretion disc, **266**, 137
- Martin E.L. *see* Lewis J.R.
- Martin R. *see* Lewis J.R.
- Masai K. *see* Ishida M.

- Mastichiadis A., Protheroe R.J., Szabo A.P., The effect of triplet production on pair-Compton cascades in thermal radiation, **266**, 910
- Matthews H.E. *see* Davis C.J.
- Matthews L., Bromage G.E., Kellett B.J., Sidher S.D., Rochester G.K., Quenby J.J., Sumner T.J., Donoghue D., Willoughby G., Wonnacott D., The discovery of EUV flaring activity in the K0V star HD 197890 with the *ROSAT* Wide Field Camera, **266**, 757
- Mazzei P., De Zotti G., A model for the continuum energy distribution of the ultraluminous galaxy IRAS F10214 + 4724, **266**, L5
- Meaburn J. *see* Bryce M.
- Mediavilla E. *see* Moreno-Garrido C.
- Meikle W.P.S. *see* Lewis J.R.
- Mihalas D. *see* Seaton M.J.
- Mikulskis D.F. *see* Donnison J.R.
- Millar T.J. *see* Smith D.
- Miller L. *see* Glazebrook K.; Lewis J.R.
- Miralda-Escudé J., Rees M.J., Reionization and thermal evolution of a photoionized intergalactic medium, **266**, 343
- Moneti A. *see* Ferraro F.R.
- Moreno-Garrido C., Buitrago J., Mediavilla E., Spectral analysis of the gravitational radiation emitted by binary systems in moderately eccentric orbits: application to coalescing binaries, **266**, 16
- Morgan I. *see* Driver S.P.
- Morrison L.V. *see* Lewis J.R.
- Moscardini L. *see* Borgani S.
- Moss D. *see* Brooke J.M.
- Mukai K. *see* Ishida M.
- Murante G. *see* Provenzale A.
- Muxlow T.W.B., Pedlar A., Wilkinson P.N., Axon D.J., Sanders E.M., de Bruyn A.G., The structure of young supernova remnants in M82, **266**, 455
- Naito T., Kojima Y., Magnetic field evolution with Hall drift in neutron stars, **266**, 597
- Nakada Y. *see* Sekiguchi K.
- Naylor T. *see* Weight A.
- Nomoto K. *see* Eriguchi Y.
- Nowak M.A., A cautionary note on gamma-ray burst nearest neighbour statistics, **266**, L45
- O'Brien T.J. *see* Slavin A.J.
- Odenkirchen M. *see* Scholz R.-D.
- Oosterloo T., Balcells M., Carter D., NGC 5982: a smooth triaxial elliptical, **266**, L10
- Origlia L. *see* Ferraro F.R.
- Padman R. *see* Hobson M.P.
- Padmanabhan T. *see* Bagla J.S.
- Pagel B.E.J. *see* Henry R.B.C.
- Palmer P.L., The deprojection of axisymmetric galaxies, **266**, 697
- Palumbo G.G.C., Scappini F., Pareschi G., Codella C., Caselli P., Attolini M.R., *IRAS*-selected Galactic star-forming regions - I. New $6_{16} \rightarrow 5_{23}$ water maser detections in molecular cores north of Dec. + 15°, **266**, 123
- Pareschi G. *see* Palumbo G.G.C.
- Parkes I.M., Collins C.A., Joseph R.D., New limits on galaxy formation at high redshift, **266**, 983
- Pasha I.I., Polyachenko V.L., The Lynden-Bell slow bar as a determinant of the spiral-ring structure in barred galaxies, **266**, 92
- Pavón D. *see* Zimdahl W.
- Peacock J.A. *see* Glazebrook K.
- Pedlar A. *see* Muxlow T.W.B.
- Penny A.J. *see* Lewis J.R.
- Pérez E. *see* Lewis J.R.
- Phillips S. *see* Driver S.P.
- Pinto P.A. *see* Spyromilio J.
- Plionis M. *see* Borgani S.
- Polnarev A.G. *see* Frewin R.A.
- Polyachenko V.L. *see* Pasha I.I.
- Postnov K.A. *see* Lyubarskij Yu.E.
- Pradhan A.K. *see* Seaton M.J.
- Prokhorov M.E. *see* Lyubarskij Yu.E.
- Protheroe R.J. *see* Mastichiadis A.
- Provenzale A., Guzzo L., Murante G., Clustering properties from finite galaxy samples, **266**, 555
- Puxley P. *see* Doherty R.M.
- Puxley P.J., Brand P.W.J.L., Dust extinction in starburst galaxies: NGC 1614 and 7714, **266**, 431
- Pye J.P., Hodgkin S.T., Stern R.A., Stauffer J.R., *ROSAT* X-ray luminosity functions of the Hyades dK and dM stars, **266**, 798
- Qian Z.Y., Sagar R., A near-infrared photometric study of the young Orion nebula star cluster NGC 1976, **266**, 114
- Quenby J.J. *see* Matthews L.
- Read M. *see* Lewis J.R.
- Rees M.J. *see* Miralda-Escudé J.
- Rigopoulou D. *see* Lawrence A.
- Ringuet A.E. *see* Rovero A.C.
- Robinson E.L. *see* Marsh T.R.
- Rochester G.K. *see* Matthews L.
- Röser S. *see* Kroupa P.
- Rovero A.C., Ringuet A.E., 3 Puppis: a peculiar object with infrared excess, **266**, 203
- Rowan-Robinson M. *see* Efsthathiou A.; Lawrence A.
- Rudd P.J. *see* Lewis J.R.
- Rutten R.G.M. *see* Lewis J.R.
- Sagar R. *see* Qian Z.Y.
- Sanders E.M. *see* Muxlow T.W.B.
- Sanders R.H., Begeman K.G., Modified dynamics (MOND) as a dark halo, **266**, 360
- Sawa T. *see* Gardiner L.T.
- Scappini F. *see* Palumbo G.G.C.
- Scharf C.A. *see* Fisher K.B.
- Scholz R.-D., Odenkirchen M., Irwin M.J., Absolute proper motion and Galactic orbit of M92, **266**, 925
- Scott P.F. *see* Hobson M.P.
- Seaton M.J., Yu Yan, Mihalas D., Pradhan A.K., Opacities for stellar envelopes, **266**, 805
- Sekiguchi K. *see* Coates D.W.
- Sekiguchi K., Nakada Y., Bassett B., RXJ 0929.1-2404: an eclipsing magnetic cataclysmic variable, **266**, L51
- Sharples R.M. *see* Lewis J.R.
- Sidher S.D. *see* Matthews L.
- Skinner C.J. *see* Sylvester R.J.
- Slavin A.J., O'Brien T.J., Dunlop J.S., The structure of the remnant of HR Del, **266**, L55
- Smith D., Spanel P., Millar T.J., The role of H^+ and H_3^+ ions in the degradation of interstellar molecules, **266**, 31
- Smith M.D., Jump shocks in molecular clouds: speed limits and excitation levels, **266**, 238
- Sodin L.G. *see* Kopilovich L.E.
- Spanel P. *see* Smith D.
- Spyromilio J. *see* Crawford I.A.
- Spyromilio J., Clumping and large-scale anisotropy in supernova 1993J, **266**, L61
- Spyromilio J., Pinto P.A., Eastman R.G., On the origin of the 1.2- μ m feature in type Ia supernova spectra, **266**, L17
- Stafford R.P., Bell K.L., Hibbert A., Electron impact excitation of N III: fine-structure collision strengths and Maxwellian-averaged rate coefficients, **266**, 715
- Stauffer J.R. *see* Pye J.P.
- Stern R.A. *see* Pye J.P.
- Stiavelli M. *see* Crane P.
- Stobie R.S. *see* Laney C.D.
- Strauss M.A. *see* Fisher K.B.
- Sumner T.J. *see* Matthews L.
- Sylvester R.J., Barlow M.J., Skinner C.J., UIR-band emission from M supergiants, **266**, 640
- Szabo A.P. *see* Mastichiadis A.
- Taylor R.J. *see* Chamcham K.
- Testa V. *see* Ferraro F.R.
- Tovmassian H.M., Hovhannessian R.Kh., Epremian R.A., Huguénin D., The distribution of OB stars in the directions of the stellar associations Aur OB 1 and 2, **266**, 337
- Tuthill P.G., Haniff C.A., Baldwin J.E., Feast M.W., No fundamental-mode pulsation in R Leonis?, **266**, 745

Unger S.W. *see* Lewis J.R.

Valentijn E.A., The opacities of spiral galaxies using volume-representative samples, **266**, 614

Valls-Gabaud D. *see* Henriksen R.N.

Valtonen M.J., Wiren S., Two-body escape speeds in merged four-galaxy groups, **266**, 353

van der Hucht K.A. *see* Williams P.M.

Vilchez J. *see* Lewis J.R.

Vucetich H. *see* Benvenuto O.G.

Walker G.A.H. *see* Bohlender D.A.

Walton N.A. *see* Lewis J.R.

Ward M.J. *see* Kotilainen J.K.

Warwick R.S. *see* Chen L.-W.

Weight A., Evans A., Naylor T., Wood J.H., Bode M.F., Nova secondary stars, mass-transfer rates and distances, **266**, 761

Weissman P. *see* Yau K.

Whitehurst R., Eccentric-mode excitation of accretion discs, **266**, 35

Wickramasinghe D.T., Wu K., A new evolutionary model for AM Herculis binaries, **266**, L1

Wiechen H. *see* Ziegler H.J.

Wilkinson P.N. *see* Muxlow T.W.B.

Williams P.M., van der Hucht K.A., Kidger M.R., Geballe T.R., Bouchet P., The episodic dust-maker WR 125 - II. Spectroscopy and photometry during infrared maximum, **266**, 247

Willmore A.P. *see* Manning R.A.

Willoughby G. *see* Matthews L.

Wiren S. *see* Valtonen M.J.

Wonnacott D. *see* Lloyd C.; Matthews L.

Wood J.H. *see* Marsh T.R.; Weight A.

Wu K. *see* Wickramasinghe D.T.

Yahil A. *see* Fisher K.B.

Yau K., Yeomans D., Weissman P., The past and future motion of Comet P/Swift-Tuttle, **266**, 305

Yeomans D. *see* Yau K.

Yu Yan *see* Seaton M.J.

Ziegler H.J., Wiechen H., Arendt U., Non-uniform mixing in collisionless self-gravitating systems, **266**, 263

Zimdahl W., Pavón D., Reheating and adiabatic particle production, **266**, 872

Życki P.T., Czerny B., The iron K α line from a partially ionized reflecting medium in an active galactic nucleus, **266**, 653

